United States Department of the Interior National Park Service

National Register of Historic Places Inventory—Nomination Form

See instructions in How to Complete National Register Forms

Type all entries—complete applicable sections

received	
date entered	

Type all entries	-complete applicable s	ections		
1. Nam	ie			
historic	Shafer, Joseph, F	arm/ Shady Lawn Far	m	
and/or common	Maple Lawn Farm	a familia de la composición del composición de la composición de l		
2. Loca	ation			
street & number	Flinn Road, 7 mil	es northeast of Bro	ookville N/	A not for publication
city, town	Brookville	X vicinity of	congressional-district-	
state	Indiana	e 018 county	Franklin	code 047
3. Clas	sification			
Category district building(s) structure site object	Ownership public private both Public Acquisition in process being considered N/A	Status _X occupied unoccupied work in progress Accessible _X yes: restricted yes: unrestricted no	Present Useagriculturecommercialeducationalentertainmentgovernmentindustrialmilitary	museum park private residence religious scientific transportation other:
4. Own	er of Prope	rty		
name	Sallie R. Wadsworth	and Randolph L. Wa	adsworth, Jr.	
street & number	R. 4, Box 290	nder in de de la company de la		gairtheindisa
city, town	Brookville	X vicinity of	state	Indiana 47012
to the second of	ation of Leg		on	
				COMMUNICATION OF THE PROPERTY
courthouse, regi	stry of deeds, etc. Frank	clin County Courthou	ise	
street & number	Main	Street		
city, town	Brook	cville	state	Indiana 47012
6. Rep	resentation	in Existing	Surveys	
Indiana	Historic Sites and			· · · · · · · · · · · · · · · · · · ·
title Structur	res Inventory	has this pro	perty been determined elig	gible?yes Xno
date 1978	A		federal X state	e county local
depository for s	urvey records Departmer	nt of Natural Resour	^ces	
city, town	Indianapo	olis	state	Indiana

7. Description

Condition X excellent deteriorated good ruins fair unexposed	Check one unaltered X altered	Check one X original site moved date	N/A
---	-------------------------------	--------------------------------------	-----

Describe the present and original (if known) physical appearance

The Joseph Shafer House, completed on December 1, 1883--the date is on the doorcap of the hired girl's room--preserves the taste in architecture and decoration of a wealthy farmer of the period.

Approached from the south by a 500' drive between double rows of silver maples, the house features a pair of two-story, three-window, projecting bays, one facing south and the other east, complemented by the strong, horizontal arrangement of porches, doors, and the remaining windows. The main block is an asymmetrical, two-story cross, 65' north and south by 50' east and west. A one-story block to the north (rear), including a kitchen and two storerooms, brings the overall north-south length to 86'. A 10' square, one-story room with a gabled roof, once a solarium but a bath since about 1910, projects to the west from the north end of the two-story block; it is tied by a flat roof to the west wing of the cross, forming a recessed pocket porch.

The entire house is roofed with slate, largely original and in fair condition, laid in diamond patterns. The roof of the two-story cross is formed by two intersecting gables, that of the one-story portion by a single north-south gable. The wide, overhanging eaves and box gutters are supported on the two-story section by elaborately figured brackets with pendants, and on the one-story sections by smaller brackets of a different pattern and without pendants. The box gutters and eaves at both levels are corniced; the brackets are set in friezes, the lower one appropriately scaled down, sporting a design of rectangles under the gutters and parallelograms under the gables. The friezes are finished off below by a simple architrave. The small mansard roofs over the projecting bays are finished with the same cornices and brackets used around the pocket porch and kitchen block. There are four corbelled chimneys: one at the intersection of the main gables, one 12' along the east main gable, one at the north end of the main gable, and one at the north end of the lower gable. The porches, like the projecting bays, have tin roofs.

An L-shaped porch at the southeast corner of the cross (16' x 20' x 6') and a rectangular porch at the northeast corner of the cross (13' x 6') both sport original gingerbread in excellent condition, and floors of massive limestone slabs with fancy-dressed edges and rough-dressed walking surfaces.

The two-story portion of the house has six exterior doors: one facing east and two facing south on the L-shaped porch, one facing north and one facing east on the east porch, and one facing west on the recessed porch. All six doors have carved rosettes in their lower panels and large, arched lights. All six are set in deep casings with wood-grained panels and are surmounted by transoms. The front door, facing south in the corner of the L-shaped porch, has a light of etched, frosted glass incised with a pattern of wreaths and a hanging vase; its transom is cobalt blue, with a white-frosted, incised floral pattern. The other door lights are plain, while two of the transoms are plain, cobalt blue, and the rest painted in imitation of frosted effects.

All of the 38 windows-8' high downstairs, 7' high upstairs-have stone sills; 35 have original exterior shutters; 31 have fancy, pressed-tin lintels with rosettes at the corners and arched pediments; all but three of the pediments enclose scroll ornaments, and all are topped with scroll finials.

8. Significance

Period prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 X 1800–1899 1900–	Areas of Significance—C archeology-prehistoric agriculture architecture art commerce communications	
Specific dates	1883	Builder/Architect Unknown

Statement of Significance (in one paragraph)

The Joseph Shafer House, on Maple Lawn Farm, is significant for its distinctive architecture and craftsmanship, as well as its importance as a focal point for grain farmers of the area during the late nineteenth and early twentieth centuries. The house is prominent because of its handsome variations on the later Italianate style and its decorative detailing. The property is especially significant because the house has undergone almost no changes, and its many outbuildings are still extant. As such, it is as much a showplace now as it was in Shafer's time.

John Shafer had an abiding commitment to farming and was quite successful at it. His father, who came to Indiana from Pennsylvania in the early days of settlement in Franklin County, and his older brothers, instructed him in the techniques of farming. He bought his first land, 137 acres, in 1859. He eventually married Harriet Seal, the daughter of a prominent, well-to-do farmer in the nearby township. In 1883, Shafer was prosperous enough to build a lavish home on his property. The house was intended to rival the showplace house which his brother-in-law had built near Whitcomb, Indiana.

Shafer gained a local reputation as a thrifty and industrious individual, a reputation apparently well-deserved, since he increased his holdings to 210 acres and built a large home on his property. He purchased the latest equipment and machinery for his farm. Shady Lawn became the center of the local threshing ring, as well as the grain-weighing station for farmers in the area. Shafer attained some prominence in his locality, and was frequently consulted by local politicians.

Shafer apparently wanted to keep his farm in the hands of his heirs, since he had Shady Lawn entailed to the surviving male in each succeeding generation. As for the house, during his own lifetime Shafer permitted only such minor alterations as occasional changes in wallpaper and the installation of a bathroom when indoor plumbing became feasible.

At Shafer's death, his son, W. Burton Shafer, inherited the farm. Like his father, he allowed no alterations. At his death in 1959, a nephew, Howard Dickinson, took possession of the farm with the stipulation that he make no changes in the house. After a successfion of short-term occupants, the present owners came into possession of the house in 1976.

9. Major Bibliographical References

Please see continuation sheet

10. Geographical Data							
Acreage of nominated property 5.965 Quadrangle name Whitcomb Quadrangle scale 1:24000 UMT References							
Zone East		A 3 7 1 3 1 Northing L	ation ee conti	BZor_D F H nuation sh	neet	Northi	ng
state	N/A	code		county	or county boar		ode
state		code	_	county	Titles (MCMCMC) (10 Tred Gray Admir (no al Array Seconds (Tred Consession Consession Consession Consession Cons	C	ode
	de Comitian Calabration - In Section 1974, planete for the animal of the debugs.						
name/title		L. Wadsworth				0-1-1-2	1000
organization		County Histor	rical So	ciety	date	October 26	
street & number R. 4, Box 290 telephone 317/647-6873							
city or town	Brookvill	e			state	Indiana	47012
12. St	ate Hi	storic P	resei	rvatio	n Office	er Certi	fication
	national	this property with	_X	Local	listoria Duscom	untion Ant of 196	S (Public Low 90
As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service. State Historic Preservation Officer signature							
title Indian	a State His	storic Preserv	ation 0	offlicer		date 6-7-8	2
For NPS use only I hereby certify that this property is included in the National Register date							
Keeper of the National Register							
Attest: Chief of Re	gistration					date	

OM3 NO. 1024-0018

EXP. 12/31/84

United States Department of the Interior National Park Service

National Register of Historic Places Inventory—Nomination Form

For NPS use only
received
date entered

Continuation sheetShafer Farm

Item number7, Description

Page 1

Alterations to the exterior have not been extensive. A shed, 12' x 13', in the corner formed by the kitchen and ground floor bath, had been cobbled onto the house in such manner as to intrude upon the lower frieze, necessitating the removal of six brackets. Luckily, the brackets were found in one of the outbuildings and could be replaced in their original positions, still indicated by gaps in the paint. The shed's foundation has been extended, in matching rock, to the north end of the house, and a screened porch erected in its place below the refurbished frieze. One door and two plain windows in the west wall of the kitchen and the storeroom have been removed (but are stored in an outbuilding) and replaced by wood framed, sliding glass doors; while the latter are not of a piece with the other doors and windows, they are scarcely perceived through the porch and do not register as a discordant detail. Some five or six of the pendants on the upper brackets have had to be replaced, but are easily distinguishable from the originals up close because they lack the surface ornaments applied to the latter. There are, likewise, some four or five new bullseyes on the pillars of the two gingerbread porches, the only repairs necessary at that point; all the spindles and scrolls are original and in mint condition. The roof of the L-shaped porch, a complex mansard shape, was re-tinned in 1976, along with all the box gutters; nothing was altered here except that the tin has been replaced, a form of routine maintenance, long overdue at 93 years. Minor modification of the recessed pocket porch, the floor of which had to be replaced and which has been extended 10' to the west to form a deck, is the only other change to the exterior.

The interior of the house is extensively wood-grained--cupboards, doors (24), panels in the deeply recessed door casings, all imitate maple, oak, walnut and other woods. Baseboards vary from room to room, some maple, some oak, some gum, all finished below with walnut quarter-round and above with walnut moulding. Door frames and window casings match the baseboards, the frames of both doors and windows being also finished with walnut throughout the downstairs and upstairs in the hall, and in two bedrooms. The 24 narrow windows in the bays are all fitted with original interior shutters, all stained to match the prevailing woodwork. Virtually all the original interior hardware is still in place-solid brass doorknobs in fancy patterns, solid brass fittings on the interior shutters, brass retainers for curtain swags, cabinet fixtures, white ceramic doorknobs, decorative hinges.

Other decorative details include three fireplaces downstairs, all with slate mantels made to imitate granite or marble and furnished with coal grates and ornamented iron grilles; three mantelpieces mounted on the chimney pieces upstairs—apparently never fireplaces but just decorative, as all the rooms were furnished with stoves—all wood, one wood grained one painted to resemble marble, and one painted to resemble granite; and a staircase, its edges finished with scroll ornaments and sporting a walnut bannister.

Alterations to the interior include a complete refurbishing of the kitchen and transformation of the storerooms into laundry, pantry and breakfast room; addition of bookcases in the west parlor; and the conversion of the west bedroom upstairs into 1½ baths and dressing rooms. All of this has been carried out with minimum disturbance to the original structure and is virtually 100% reversible, should any subsequent owner like to give up the amenities afforded by the changes.

OMB MO. 1091-0013 FXP. 12/31/31

United States Department of the Interior National Park Service

National Register of Historic Places Inventory—Nomination Form

For NPS use only received date entered

Continuation sheet Jos. Shafer Farm

Item number 7, Description

Page

With the exception of the scale building, the 13 outbuildings on the property are in good condition. The outbuildings, keyed to the attached sketch map, include:

Storage shed, 12' x 16' (Photo 20)

Shed with root cellar and attic, 16' x 20' (Photo 21) 2.

4-hole privy, 5' x 5' (Photo 23) 3.

Smithy with forge and tool for wagon tires, approx. 12' x 24' (Photo 23) 4.

5.

Henhouse, 12' x 24' (Photo 24)
Garage, 15' x 27', with fully enclosed loft (Photo 27)
Granary, 21' x 31' (Photo 26) 6.

7.

Barn with lean-to attached, 27' x 32' (Photo 25) Pump house with windmill, 9' x 18' (Photo 25) 8.

9.

Building with grain scale, grain bins and enclosed loft, 18' x 18' (Photo 28) 10.

Barn, 30' x 60'. Probably at least as old as the house, judging from its construction, 11. which features double truss arrangement with queen beams (beech), corner posts mortised into plates that are likewise mortised to each other, rafters pinned into notched rafter plates and grain bins made of poplar planks as wide as 27". At the southeast corner there is a shed enclosing a large water tank surrounded with straw. (Photo 29)

Well house, 9' x 12' (Photo 30) 12.

Modern circular grain bin (Photo 26) 13.

EXP. 12/31/84

United States Department of the InteriorNational Park Service

National Register of Historic Places Inventory—Nomination Form

For NPS use only received date entered

Continuation sheet Shafer Farm, Biblio. Refs.

Item number

Page 3

Biographical and Geneological History of Wayne, Fayette, Union, and Franklin Counties, Vol. II. Chicago: Lewis, 1899

Riefel, August J. <u>History of Franklin County: Her People</u>, <u>Industries</u>, <u>and Institutions</u>. Indianapolis: Bowen, 1915.

Stoops, Harry M.; O'Byrne, Roscoe C.; Stewart, John L.; and Bartlett, Fred. E., comps.

Atlas and World War Historical Data of Franklin County, Indiana. Connersville,
Indiana: Boda Press, 1925.

United States Department of the Interior National Park Service

National Register of Historic Places Inventory—Nomination Form

For NPS use only
received
date entered

Continuation sheet Shafer Farm

Item number 10, Verb. Bndry. Des. Page 4

Being a part of the Northeast Quarter of Section 4, Township 9 North, Range 1 West, Springfield Township, Franklin County, Indiana, and being more particularly described as follows:

Commencing at a post at the Southeast Corner of the Northeast Quarter of said Section 4 and running thence West, 1863.20 feet along the South line of said Northeast Quarter, also being the centerline of the Public Road more commonly known as the Flinn Road, to a spike at the place of beginning of this description; thence West, 259.50 feet along said south line to a spike; thence North 00 degrees 20 minutes 30 seconds West, 1009.20 feet to an iron pin; thence North 89 degrees 41 minutes 37 seconds East, 255.09 feet to an iron pin; thence South 00 degrees 35 minutes 30 seconds East, 1010.60 feet to the place of beginning containing an area of 5.965 acres.

(Taken verbatim from a survey done 19 April 1976 by Michael A. Puthoff, Registered Surveyor No. S0215, State of Indiana.)

